



## intimus 100 In the Office

Professional Data Shredders – a Synthesis of Technology, Performance and Design. All intimus® shredders are built from durable, precision engineered, high-performance components, designed for a long life of high volume usage. The product range covers all requirements from day-to-day office use up to High Security Shredding machines in use for destruction of classified material in line with all current legal requirements such as DIN 66399 or NSA 02/01. intimus® shredders carry various features which make them unique in user-friendliness and operating efficiency.

- Low noise level
- Automatic start/stop with light barrier
- Automatic stop in case of overload
- Illuminated indicators for basket full, door open and paper jam
- Sealed dust-free design with robust wooden cabinet
- Mounted on rollers for flexible use









Ecotigic

	Shred size	<b>\</b> ۲	'n	Security level DIN 66 399				evel 99		Shredding capacity* sheets		Cutting speed	Throughput** sheets/min		Also shreds:			
Model	mm	Т		Ρ	F	0	т	Н	Е	70 g/m²	80 g/m <sup>2</sup>	m/s	<b>70 g/m</b> <sup>2</sup>	80 g/m²	Ð	$\bigcirc$		
100 SP2	3.8	100	5+	2	-	-	<b>2</b> <sup>+</sup>	-	-	23-25	19-21	0.14	707	594	$\checkmark$	-	$\checkmark$	-
100 CP4	3.8 x 36	100	5+	4	1	-	4+	-	-	18-20	16-17	0.14	566	481	$\checkmark$	-	$\checkmark$	-
100 CP5	1.9 x 15	100	5+	5	2	_	-	_	-	13-15	11-13	0.14	424	368	$\checkmark$	-	$\checkmark$	-
* only floppy disks / ID cards															_			
High Security Shredder																		
100 CP6	0.8 x 12	100	5+	6	3	_	-	_	-	8-10	7-9	0.14	283	255	-	-	-	-
100 CP7	0.8 x 4.5	100	5+	7*	3	-	-	-	-	5-6	4-6	0.14	170	170	-	-	-	-
* NSA approved (NSA / CSS EPL 02/01)																		
Optional Equipment				Packing unit			A	rt. No.		Shredder oil for CP-models			Packing unit			Art. No.		
PE bags intimus 100 and 120				50 pieces			9	9977		Bottle at 1	10 ml	6 t		ottles		880	88035	
										for models with oilor 2 litro		2 litroe	1.0	anietor		019	60	

\* based on 70 g/m2 A4 paper. Sheet capacities vary depending on quality, weight, grain of paper and sufficient

power supply. It may be lower if the voltage is below the rated/nominal value.

\*\* theoretical average performance paper/min